

## First Option™ Planks

---

Now you have more options! Your First Option library has been expanded to include a lively new pattern. Bike Path™ brings a spirited style, coasting on well chosen neutrals and marked with strong pops of color like stop sign red and go-go green.

Bike Path comes in two Skinny Planks™, and the collection delivers a range of colors across both styles. BP410 is the solid base upon which BP411 adds its accent colors. The simplicity of design—with straight lines and a clean-cut appearance—are perfect for creating directional cues on the floor. Bike Path draws your attention and directs the eye with its linear forms and color accents.

An ashlar installation of Bike Path unlocks the linear pattern of the tile, creating a sense of direction and connecting one interior space with another while at the same time adding balance. In herringbone, the stitch lines within each tile will appear accentuated, enabling you to intensify the pace and energy of your interior spaces.

Just as a ride in the park can invigorate your day, Bike Path's informal and approachable styling will pep up all sorts of public spaces in corporate offices, schools, retail and multifamily housing. Let's ride!



PRODUCT BP410 COLOR 104653 LICORICE  
 PRODUCT BP411 COLOR 104661 LICORICE/TEAL INSTALLED ASHLAR

[www.interface.com](http://www.interface.com)



BP410 Colorline



Specifications

|                        |                                     |
|------------------------|-------------------------------------|
| Modular, 25cm x 1m     | 146850AK20                          |
| Backing System         | GlasBac® Tile                       |
| Yarn Manufacturer      | Universal                           |
| Yarn System            | Post-Consumer Content Type 65 Nylon |
| Color System           | 100% Solution Dyed                  |
| Construction           | Tufted Textured Loop                |
| Lifetime Antimicrobial | Intersept®                          |
| Soil/Stain Protection  | Protakt®                            |
| Pile Thickness         | 0.069 in, 1.7 mm                    |
| Pile Density           | 7412                                |
| Total Recycled Content | 67%                                 |
| Indoor Air Quality     | CR1 Green Label Plus #GLP0820       |



[www.interface.com](http://www.interface.com)




PRODUCT BP410 COLOR 104654 DOVE - INSTALLED ASHLAR



www.interface.com

PRODUCT BP411 COLOR 104657 OREGANO/LIME INSTALLED ASHLAR

BP411 Colorline




Specifications



|                        |                                      |
|------------------------|--------------------------------------|
| Module, 25cm x 3m      | 14680AK00                            |
| Backing System         | GlasBac® Tile                        |
| Yarn Manufacturer      | Universal                            |
| Yarn System            | Post-Consumer Content Type 6.6 Nylon |
| Color System           | 100% Solution Dyed                   |
| Construction           | Lifted Textured Loop                 |
| LifeLine Antimicrobial | Inferno®                             |
| Sol/Stain Protection   | Protect®                             |
| Pile Thickness         | 0.008 in, 1.7 mm                     |
| Pile Density           | 3,412                                |
| Total Recycled Content | 67%                                  |
| Indoor Air Quality     | CR1 Green Label Plus #GLP0920        |





**Design Ideas** Below are floor layouts showing how to create the design ideas shared in selected images within this brochure.




**PRODUCT BP410 COLOR 104653 LICORICE**  
**PRODUCT BP411 COLOR 104661 LICORICE/TEAL INSTALLED ASHLAR**



**PRODUCT BP410 COLOR 104658 COIN**  
**PRODUCT BP411 COLOR 104659 COIN/YELLOW INSTALLED PATTERN BY TILE**



**PRODUCT BP410 COLOR 104652 LEAD** **PRODUCT BP411**  
**COLOR 104663 EMBER/RED INSTALLED ASHLAR**



**PRODUCT BP410 COLORS 104653 LICORICE, 104654 DOVE, 104656 QUARTZ**  
**INSTALLED HERRINGBONE**



TacTiles®

---


**Say goodbye to glue and hello to a faster, cleaner, easier installation with TacTiles.**

Get out of a sticky situation with TacTiles®, Interface's revolutionary installation system. These handy little squares eliminate the need for glue by adhering carpet tiles to each other, not the floor below, making installation a breeze.

**Here are a few other ways TacTiles create less mess, less waste and more savings:**

- They have virtually no volatile organic compounds (VOCs) or harsh odors, so employees and customers won't be disrupted during installation or maintenance;
- They create a "floating floor" that means greater flexibility and easier replacement;
- They provide an environmental footprint more than 90% lower than traditional glues;
- They're much easier to work with – one roll of TacTiles installs the same amount of carpet as a 42-lb bucket of the sticky stuff.

And they work. TacTiles connectors have been used to successfully install Interface carpet tiles in offices, shopping malls, university campuses, K-12 classrooms, churches, libraries and more.



Why Our Modular Carpet?



**Modular Carpet Tile**

*Performance and Flexibility.* Interface's standard backing systems set the industry standard for modular performance. Tiles stay on the floor with no upcut, no tapping and no ripling effect, yet are easy to selectively replace. Our modular carpet is also easier to handle, install and maintain than bulky roll carpet. And, it installs with less waste so you save time and money — 3-4% for typical modular carpet compared to an average waste factor of 14% for traditional roll carpet.

**Samples**

Order samples at [www.interface.com](http://www.interface.com). You'll receive email order confirmations, 24/7 access to order status and more. Not near a computer? You can also request samples by calling one of the numbers below:

United States 1.877.605.1500  
Canada 1.866.398.3192

Brazil + 55 11 2196 0900  
Latin America + 52 55 6395 5100



**Cool Carpet™**

*The Low Carbon Option.* Help stop climate change. ALL Interface modular carpet sold in North America is third party verified climate neutral Cool Carpet. We start by using low-carbon materials and manufacturing processes, then Cool Carpet zeros out all remaining greenhouse gas (GHG) emissions associated with the entire lifecycle of your carpet, from raw material extraction through use and recycling.

**www.interface.com**

Register at [www.interface.com](http://www.interface.com) to:

- Browse products and order samples
- View carpet in a variety of room scenes
- Browse floor designs, change colors, view as a grid or in a room, download and share
- Use our LEED Calculator
- Check order status and inventory availability
- Sign up to get the latest information on Interface products and news



**TacTiles®**

*No Glue Installation.* Our revolutionary TacTiles installation system eliminates the need for glue, adhering tiles securely together to form a floor that "floats" for greater flexibility, easier replacement and long-term performance. The result? Less mess, less waste and virtually no VOCs, not to mention an environmental footprint that is over 90% lower than that of traditional glue adhesives.

**InterCircle™ Sample Return**

Help us close the loop on the carpet sampling process. Through our InterCircle Sample Return program, sample materials stay out of the landfill and are re-used as samples until it is time to recycle them into new carpet. By reducing sample production material and diverting old materials from the landfill, we can reduce our overall environmental footprint.

Call 1.877.605.1500 (U.S.) or 1.866.398.3192 (Canada) to order a sample return bag with a prepaid return label.



**Intersept®**

*Mold Protection.* Our proprietary preservative, Intersept, protects our modular carpet against mold growth and odor-causing bacteria — guaranteed. Intersept treated carpet, with proper maintenance, shows no mold or bacterial growth when tested per the ASTM E2471 Standard Test Method. Intersept is EPA approved for safe use in carpet, water insoluble and contains no halogens, heavy metals, phenols or formaldehyde.



**ReEntry®**

*Recyclable is Now a Reality.* Through our ReEntry program and partnerships with our fiber suppliers and recycling centers throughout North America, separated Type 6 and 6,6 nylon are recycled into new 6 and 6,6 nylon, while separated GlasBac® and similar competitor backings are recycled into GlasBac®RE non-virgin PVC backing using our Cool Blue™ technology. The result? Products with up to 89% total recycled content, including as much as 27% post-consumer content.



**Sustainable Choice**

*Environmental Responsibility.* More than 95% of Interface products manufactured in the Americas carry the GreenCircle Certified Environmental Facts label, which has verified that standard Interface products are manufactured using 99% renewable energy and offer a minimum of 66% and 80% total recycled content when backed with GlasBac and GlasBacRE backing respectively.

Transparency and certified sustainability leadership come standard on all Interface products, including published ingredients in HPDs (Health Product Declarations) or Declare Labels. In addition, more than 99% of our products globally have a published EPD (Environmental Product Declaration), which evaluates consistent factors based on full life cycle assessment (LCA). And, all Interface products with GlasBacRE backing are certified to the Platinum level of the NSF/ANSI 140 Sustainable Assessment for Carpet. GlasBac backed products meet the Gold level. NSF/ANSI 140 certified products contribute toward a USGBC or CaGBC LEED credit.

Third Party Certification



**Cool Carpet** — Our third party verified carbon offset program zeroes out all greenhouse gas (GHG) emissions associated with the entire lifecycle of your carpet.



**Environmental Product Declaration (EPD)** — A statement of product ingredients and environmental impacts over the entire life cycle of a product. A comprehensive life cycle assessment (LCA) is performed to ISO standards to develop an EPD, after which both the EPD and LCA must be third party verified.



**Sustainable Assessment for Carpet** — The only carpet sustainability standard in North America that evaluates the environmental impact of carpet for its entire lifecycle.



**CRI Green Label Plus** — An independent testing program that identifies carpet and adhesives with very low emissions of VOCs to help improve indoor air quality.

All product specifications reflect averages derived from product sample testing, are subject to normal manufacturing and testing tolerances and inherent pattern variances, and may be changed without notice. For more information about these and other important attributes of the product(s) described herein, including recycled content and product warranty information, please see [www.interface.com/declare](http://www.interface.com/declare).



Printed on 50% post-consumer waste (PCW) fiber manufactured using wind power.

We have tried our very best to accurately represent product colors. However, due to the nature of printed materials, color of actual products may vary slightly. Please request a sample to see actual product color.

[www.interface.com](http://www.interface.com)

**United States Headquarters**

1503 Orchard Hill Road  
LaGrange, GA 30240  
1.800.336.0225 ext.56511

**Canadian Headquarters**

233 Lahr Drive  
Belleville, ON K8N 5S2  
1.800.267.2149 ext.2128

**Brazilian Headquarters**

Rua Surubim, 577 - Conjuntos  
73/74 7º Andar  
04571-050 - São Paulo - SP  
+ 55 11 2196 0900

**Latin American Headquarters**

Montes Urales # 415 Piso 6  
Col. Lomas de Chapultepec  
México City, D.F. 11000  
Mexico  
+ 52 55 6395 5100

CIM # IFS00728 06/2017



**Mission Zero®**  
our promise to eliminate any  
negative impact our company  
may have on the environment  
by the year 2020.