

A stack of wooden planks, likely pine, arranged in a slightly irregular pile. The wood grain is clearly visible on the top and side surfaces. The lighting is soft, highlighting the natural texture and color of the wood. On the right side of the image, there is a solid white vertical bar.

Board Games™ Collection

Interface®

Board Games™ Collection

With a playful nod to Mother Nature, Board Games takes inspiration and color names from some of our most noble trees, such as Cedar and Blue Spruce. On Board™ is a linear look with a uniform pattern. Above Board™ brings a twist to that linear feel in an i2™ style that creates a unique floor every time. Each style is available in 18 colors that incorporate tinted neutrals ranging from blues and greens to deeper browns, all with a mix of lighter tones.







PRODUCT ON BOARD COLOR 100736 EUCALYPTUS PRODUCT MONOCHROME™ COLORS 101838 FLANNEL, 101862 ARTICHOKE, 101835 SMOKE, 101839 CONCRETE INSTALLED PATTERN BY TILE
On Board shown in 50CM X 1M tile.





PRODUCT ABOVE BOARD COLOR 100765 GINGKO INSTALLED QUARTER-TURN





PRODUCT ON BOARD COLORS 100741 HICKORY, 100742 BEECH INSTALLED PATTERN BY TILE

Specifications **i2**

Modular, 50cm x 50cm	123640250H
Modular, 25cm x 1m	123640AK0H
Backing System	GlasBac®RE Tile
Yarn Manufacturer	Universal
Yarn System	Post-Consumer Content Type 6,6 Nylon
Color System	100% Solution Dyed
Construction	Tufted Cut & Loop
Preservative Protection	Intersept®
Soil/Stain Protection	Protekt2®
Pile Thickness	0.146 in., 3.7 mm
Pile Density	5,178
Total Recycled Content	68% (33% Post-Consumer)
Indoor Air Quality	CRI Green Label Plus #GLP0820



BRICK




QUARTER-TURN



ASHLAR



HERRINGBONE




PRODUCT ABOVE BOARD COLOR 100756 BIRCH INSTALLED QUARTER-TURN


Above Board™ Colorline



100752 BLUE SPRUCE



100753 BLUE GUM



100754 EUCALYPTUS



100755 EBONY



100756 BIRCH



100757 ASH



100758 WALNUT



100759 HICKORY



100760 BEECH



100761 REDWOOD




100762 CHESTNUT



100763 CEDAR



100764 OAK



100765 GINGKO




100766 PINE



100767 MAGNOLIA



100768 CYPRESS



100769 WILLOW

Specifications

Modular, 50cm x 50cm	123630250H
Modular, 50cm x 1m	123630AB0H
Backing System	GlasBac®RE Tile
Yarn Manufacturer	Universal
Yarn System	Post-Consumer Content Type 6,6 Nylon
Color System	100% Solution Dyed
Construction	Tufted Cut & Loop
Preservative Protection	Intersept®
Soil/Stain Protection	Protekt2®
Pile Thickness	0.109 in., 2.8 mm
Pile Density	7,266
Total Recycled Content	67% (33% Post-Consumer)
Indoor Air Quality	CRI Green Label Plus #GLP0820



AXLAR



QUARTER-TURN



AXLAR



HERRINGBONE




PRODUCT ON BOARD COLOR 100738 BIRCH INSTALLED QUARTER-TURN

On Board™ Colorline




100734 BLUE SPRUCE




100735 BLUE GUM



100736 EUCALYPTUS




100737 EBONY




100738 BIRCH




100739 ASH



100740 WALNUT



100741 HICKORY



100742 BEECH




100743 REDWOOD




100744 CHESTNUT



100745 CEDAR



100746 OAK



100747 GINKGO




100748 PINE



100749 MAGNOLIA



100750 CYPRESS



100751 WILLOW

Why Our Modular Carpet?



Modular Carpet Tile

Performance and Flexibility. Interface's modular carpet tile sets the industry standard for performance. Tiles are designed to stay on the floor with no upcurl, tapping or rippling. Our square and plank tiles are easier to handle, install and maintain. They install with just 3-4% waste – and as little as 1.5% for i2® non directional styles – compared to an average 14% for traditional roll carpet. And our i2 styles are mergeable so tiles from multiple dye lots will always blend, even when selectively replaced years later.



Cool Carpet™

Help Stop Global Warming and Earn a LEED® Innovation Credit. ALL Interface modular carpet sold in North America is third party verified climate neutral Cool Carpet. Cool Carpet zeros out all greenhouse gas (GHG) emissions associated with the entire lifecycle of your carpet. And climate neutral verified Cool Carpet may be eligible for a USGBC or CaGBC LEED Innovation Credit.



TacTiles®

No Glue Installation. Our revolutionary TacTiles installation system eliminates the need for glue, adhering tiles securely together to form a floor that "floats" for greater flexibility, easier replacement and long-term performance. The result? Less mess, less waste and virtually no VOCs, not to mention an environmental footprint that is over 90% lower than that of traditional glue adhesives.

Samples

Order samples at www.interface.com. You'll receive email order confirmations, 24/7 access to order status and more. Not near a computer? You can also request samples by calling one of the numbers below.

United States Canada
1.877.605.1500 1.866.398.3192

Brazil Latin America
+ 55 11 2196 0900 + 52 55 6395 5100

www.interface.com

Register at www.interface.com to:

- Order samples
- View carpet in a variety of room scenes and even upload your own room
- Use our LEED Calculator
- Check order status and inventory availability
- Sign up to get the latest information on Interface products and news

InterCircle™ Sample Return

Help us close the loop on the carpet sampling process. Through our InterCircle Sample Return program, sample materials stay out of the landfill and are re-used as samples until it is time to recycle them into new carpet. By reducing sample production material and diverting old materials from the landfill, we can reduce our overall environmental footprint.

Call 1.877.605.1500 (U.S.) or 1.866.398.3192 (Canada) to order a sample return bag with a prepaid return label.

Third Party Certification

cool carpet™

Cool Carpet – Our third party verified carbon offset program zeroes out all greenhouse gas (GHG) emissions associated with the entire lifecycle of your carpet.



Environmental Product Declaration (EPD) – A statement of product ingredients and environmental impacts over the entire life cycle of a product. A comprehensive life cycle assessment (LCA) is performed to ISO standards to develop an EPD, after which both the EPD and LCA must be third party verified.



Sustainable Assessment for Carpet – The only carpet sustainability standard in North America that evaluates the environmental impact of carpet for its entire lifecycle.



CRI Green Label Plus – An independent testing program that identifies carpet and adhesives with very low emissions of VOCs to help improve indoor air quality.



Intersept®

Mold Protection. Our proprietary preservative, Intersept, protects our modular carpet against mold growth and odor-causing bacteria — guaranteed. Intersept treated carpet, with proper maintenance, shows no mold or bacterial growth when tested per the ASTM E2471 Standard Test Method. Intersept is low in toxicity, water insoluble and contains no arsenic, heavy metals, phenols or formaldehyde.



ReEntry® 2.0

Recyclable is Now a Reality. Our ReEntry 2.0 program uses innovative technology that gives us the ability to cleanly separate the face fiber and backing of nearly any carpet type. Separated Type 6 and 6,6 nylon are recycled into new 6 and 6,6 nylon, while separated GlasBac® and similar competitor backings are recycled into new GlasBac®RE non-virgin PVC backing using our Cool Blue™ technology. The result? Products with up to 81% total recycled content, including as much as 35% post-consumer content.



Sustainable Choice

Environmental Responsibility. Interface was the industry's first to earn an EPD (Environmental Product Declaration), which evaluates consistent factors based on full lifecycle assessment (LCA). We achieved an EPD based on our Convert™ products and have now expanded our EPDs into multiple categories covering more than 90% of our products.

In addition, all Interface products with GlasBacRE backing meet the Platinum level of the NSF/ANSI 140 Sustainable Assessment for Carpet. GlasBac or NexStep® backed products meet the Gold level. All may contribute toward a USGBC or CaGBC LEED Innovation Credit.



RECYCLED
Paper made from
recycled material
FSC® C009723



PLEASE RECYCLE

All product specifications reflect averages derived from product sample testing, are subject to normal manufacturing and testing tolerances and inherent pattern variances, and may be changed without notice. For more information about these and other important attributes of the product(s) described herein, including recycled content and product warranty information, please see www.interface.com/disclaimer.

Printed on 50% post consumer waste (PCW) fiber manufactured using wind power.

We have tried our very best to accurately represent product colors. However, due to the nature of printed materials, color of actual products may vary slightly. Please request a sample to see actual product color.

www.interface.com

United States Headquarters

1503 Orchard Hill Road
LaGrange, GA 30240
1.800.336.0225 ext.6511

Canadian Headquarters

233 Lahr Drive
Belleville, ON K8N 5S2
1.800.267.2149 ext.2128

Brazilian Headquarters

Rua Surubim, 577 - Conjuntos
73/74 7º Andar
04571-050 - São Paulo - SP
+ 55 11 2196 0900

Latin American Headquarters

Montes Urales # 415 Piso 6
Col. Lomas de Chapultepec
México City, D.F. 11000
Mexico
+ 52 55 6395 5100

CIM # IFS00474 09/2014



Mission Zero®

our promise to eliminate any
negative impact our company
may have on the environment
by the year 2020.