

* Product pictured is not the exact style of the product studied in this document.

Bivi

Product Environmental Profile is an environmental declaration according to the objectives of ISO 14021. Precise, accurate, verifiable and relevant information on sustainability attributes of Bivi.

Bivi is a benching system that supports startup culture by promoting agility and giving workers greater choice and control in the office.

The model chosen for analysis is the most representative line (reference # Bivi Typical) from the Bivi range. Standard features on this model include:

- Materiality Full range of standard materials and customization capability
- Agility Modular components for ease of reconfigurability
- Privacy Tackable Screens, Arch Infills and Modesty Panels
- Palette of Posture supports lounge, seated and standing heights

Environmental Overview

Final Assembly Location

Final assembly of Bivi is in Grand Rapids, Michigan, USA, and Holland, Michigan, USA for Steelcase for the NA (North America) market.

Life Cycle Performance 💿

Steelcase considers each phase of the life cycle: from materials extraction, production, transport, use and reuse, through the end of its life.

Materials

Materials Composition

A break down of the basic materials in Bivi.

Materials Chemistry

Steelcase's materials chemistry practice aims to design products with materials that support human and environmental health, throughout all phases of the life cycle.

Recycled Materials and Recyclability

Bivi contains 18.0% recycled materials, by weight (18.0% pre-consumer + 0.0% post-consumer).

At the end of its useful life, Bivi is 78% effectively recyclable by weight.

Certifications and Labels 💿

The environmental and social performance of Bivi is communicated through the following voluntary labels/certifications:

- SCS Indoor Advantage[™] Gold
- BIFMA level® 2

LEED Contribution

Bivi may contribute in the following areas:

- Recycled content
- Materials reuse
- · Regional materials
- Low-emitting materials
- · Interiors life-cycle impact reduction
- Daylight and views
- Building product disclosure and optimization sourcing of raw materials
- Quality Views
- Construction & Demolition Waste Planning & Management
- · Environmentally Preferable finishes and furnishings
- · Social equity in the supply chain

Life Cycle Performance

Steelcase considers each phase of the life cycle: from materials extraction, production, transport, use and reuse, through the end of its life.

Materials

This phase includes raw materials extraction and transformation into material ready to be used.

- **Bivi contains 18.0% recycled materials,** by weight (18.0% preconsumer + 0.0% post-consumer).
- Materials chemistry assessment completed for this product.
- **Plastic parts** do not contain pigments with Cadmium, Chrome VI and Mercury.
- Low formaldehyde & VOC emissions / concentration according to ANSI/BIFMA X7.1 and ANSI/BIFMA e.3 VOC's of concern
- Product can be ordered with **PVC-free wiring and edge banding.**
- Packaged with 40-44% recycled cardboard.
- Materials used in the manufacturing and assembly of our products are not specified to contain nanomaterials.
- No use of wood from genetically modified trees.

Production

This phase comprises all production and assembly processes taking place at Steelcase or at their suppliers and sub-suppliers.

- The Grand Rapids, MI plant is ISO 14001 and LEED certified.
- Water-based adhesives used in assembly.
- Final assembly of Bivi is in Grand Rapids, Michigan, USA, and Holland, Michigan, USA for Steelcase for the NA (North America) market.

Transport

This phase includes downstream transports.

- **Optimized packaging** to keep transportation volumes as low as possible and improve filling rates.
- Flat / Optimized packaging.
- Lightweight and delivered stacked.

- Product is shipped knocked down 10 pieces in all possible scenarios allowing for optimization of transport volume.
- Made in North America

Use

During the use phase of the product - the longest phase of the life cycle - no significant environmental impacts occur.

- Product meets ANSI/BIFMA Standards M7.1/X7.1 for low- VOC emissions to indoor air quality SCS Indoor Advantage™ Gold.
- **Designed for a long product life,** with replaceable parts that are easy to change.
- · Cleaning instructions available.

End of Use

Any product can become a resource itself, or be responsibly disposed of in different ways.

- **Designed to enable responsible end of use strategies** re-selling, refurbishing, charitable donation or recycling.
- 78% effectively recyclable by weight, according to the current waste disposal schemes.
- 55% effectively recyclable packaging.
- Designed for quick and easy disassembly of materials with no permanent assembly.
- The Steelcase Phase 2 Program provides end-of-use, end-of-need and end-of-life disposition solutions that align with your Corporate Social Responsibility Goals. For more information, and to see if this service is available in your area, please contact your Steelcase sales representative for more information.

Materials

Bivi materials composition is listed below*.

METALS



<1%

2%

METALS			
	kg	lb	%
Aluminum (extruded)	104.78	231.0	53.48
Steel	47.85	105.5	24.42
WOOD BASED MATERIALS			
	kg	lb	%
Particle board	39.31	86.7	20.06
PLASTICS	la s	lb	%
	kg		
Polypropylene (PP)	0.27	0.6	0.14
Nylon (PA)	<0.1	0.0	<0.1
OTHER MATERIALS			
	kg	lb	%
Fiberglass	2.39	5.3	1.22
Other	1.3	2.9	0.66
TOTAL WEIGHT	195.9	431.9	

*The list of materials does not contain all materials used in the product (adhesives, coatings, residuals, etc.).

Materials Chemistry

Steelcase's goal in its materials chemistry practice is to design products with materials that have been evaluated or assessed for several human and environmental health criteria – all in an effort to understand and optimize the products throughout their life cycle.

Steelcase has worked with our supply chain to inventory and assess materials in this product down to 0.01% (or 100 ppm) in each homogeneous material with the intent to eliminate chemicals of concern and optimize with healthier materials of equal or greater functionality. Steelcase intends to refrain purchasing products, components, or materials containing any "Democratic Republic of the Congo (DRC) Conflict Minerals" (coltan (from which tantalum is derived), cassiterite (tin), gold, wolframite (tungsten), or their derivatives), and any other minerals or derivatives which the U.S. Secretary of State determines to be financing conflict in the DRC or an adjoining country.

Recycled Materials and Recyclability

Recycled materials are determined by weight and defined in accordance with the ISO 14021. They may include pre- and post-consumer materials:

- Pre-consumer materials (or post-industrial recycled materials) are materials diverted from the waste stream during a manufacturing process. Excluded is reutilization of materials such as rework, regrind or scrap generated in a process and capable of being reclaimed within the same process that generated it.
- Post-consumer materials are materials generated by households or by commercial, industrial and institutional facilities in their role as end-users of the final product, which can no longer be used for its intended purpose. This includes returns of material from the distribution chain.



Total recycled content	36.4	80.2	18	
Post-consumer recycled content	0.0	0.0	0	
Pre-consumer recycled content	36.4	80.2	18	
	kg	lb	%	
BIVI				

Pre-consumer - Recycled content

Post-consumer - Recycled content

Virgin material

*Calculations of recycled materials are based on data provided by professional organizations, suppliers and other available information. Recycled content figures are based off of product weight only, and exclude packaging for evaluation to LEED contribution and other purposes. This data may include industry averages, ranges or other broadly based information. Steelcase makes conservative assumptions when compiling this information to provide the most accurate recycled content calculations possible but variability in market conditions or manufacturing processes may result in higher or lower content. This document will be reviewed and updated periodically and is subject to change without notice.

Recyclability

Steelcase considers a material recyclable if it can be effectively collected, sorted, processed, and converted into raw materials to be used in the production of new products.*Recyclability calculation does not include packaging.



78%

According to the available waste management infrastructures, we estimate that 78% is effectively recyclable.

*Excludes packaging. To be compliant with applicable regulations, Steelcase calculations are based on the materials having physical properties that allow recycling, our evaluation of the ability to disassemble the products and the actual availability of recycling services in the markets where the products are sold.

Certificates

To show continuous improvements, Steelcase communicates the environmental and social performance of its products through voluntary labels and declarations.

ON THE PRODUCTS

BIFMA level®

This product is level[®] 2 certified, BIFMA's sustainability certification program for furniture. This certification program assesses a products impact to materials, energy & atmosphere, human & ecosystem health, and social responsibility.

SCS Indoor Advantage[™] Gold

This product is SCS Indoor Advantage[™] Gold certified according to the indoor air quality emissions requirements defined by the ANSI/ BIFMA M7.1- 2011.

ON THE PLANTS

ISO 14001

The plant in Grand Rapids, Michigan, USA is ISO (International Organization for Standardization) 14001 - Environmental management system certified.

LEED

The manufacturing plant in Grand Rapids, Michigan, USA is LEED[®] (Leadership in Energy and Environmental Design) certified.

LEED V3 - 2009

LEED, or Leadership in Energy & Environmental Design, is a green building certification program that recognizes best-in-class building strategies and practices. Bivi may contribute to a project's pursuit of LEED certification across the three rating systems:

- LEED-ID+C Interior Design & Construction 2009 (formerly LEED-CI)
- LEED-BD+C Building Design & Construction 2009 (formerly LEED-NC, LEED-Core & Shell & LEED-Schools)
- LEED-O+M Operations & Maintenance (formerly LEED-EB)

CREDITS	F	RATING SYSTEM		POTENTIAL CONTRIBUTION*
	ID+C	BD+C	O+M	
Materials & Resources				
		MRc4	MRc2.2: Sustainable purchasing- Furniture	
Recycled content	MRc4	Healthcare: MRc5 Option 3		Bivi contributes to the project recycled content criteria: post-consumer $(0.0)\% + \frac{1}{2}$ pre-consumer $(18.0)\% = 9.0\%$.
Materials reuse	MRc3.2	Healthcare: MRc5 Option 3		If chosen for reuse, this product can contribute to the 30% valuation of the furniture & furnishings budget.
Regional materials	MRc5	Healthcare: MRc5 Option 3		Bivi is assembled in Grand Rapids, Michigan, USA and in Holland, Michigan, USA, for NA orders. Projects <500 miles from these locations qualify.
Indoor Enviromental Quality	v	-		
Low emitting materials	EQc4.5	Healthcare: MRc5 Option 2	N/A	Bivi is SCS Indoor Advantage™ Gold (depending on options) certified for indoor air quality in NA.
Daylight and views	EQc8.1 & 8.2	EQc8.1 & 8.2*	EQc2.4	Steelcase offers a range of products and application thought starters to assist customers in achieving these credits.

*For Potential Contribution: These are the probable contributions; exact contributions will be dependent on the LEED rating system and the specific product.

**For LEED BD+C: New Construction, these standards do not currently apply to furniture in the IEQ credit; however, the USGBC has allowed equivalent credit for furniture / furnishings when submitted as an Innovation in Design credit.

LEED V4

LEED is a rating system that drives integrated design thinking as it relates to various aspects of green buildings. Bivi can contribute to a project's pursuit of LEED Certification across the three rating systems:

- LEED-ID+C Interior Design & Construction
- LEED-BD+C Building Design & Construction
- LEED-O+M Operations & Maintenance

CREDITS	RATING SYSTEM		М	POTENTIAL CONTRIBUTION*
	ID+C	BD+C	O+M	
Materials & Resources				
Interiors life-cycle impact reduction	Option 2: Furniture Reuse	N/A		Steelcase products are designed to be long lasting and durable often making reuse a feasible option, depending on project needs and desirability.
Interiors life-cycle impact reduction	Option 3: Design for flexibility	N/A	Purchasing - facility maintenance and renovation	If chosen for reuse, this product can contribute to the 30% valuation of the furniture & furnishings budget.
		Option 2: Leadership extraction practices		Extended Producer Responsibility - Steelcase offers different end of use / end of life programs for different markets, to reuse, resell, refurbish, donate, or recycle the mix of existing assets – all in an effort to divert materials from the landfill (See notes below).
Building product disclosure and optimization - sourcing of raw materials	Option 2: Leadership	Healthcare -	Option 2: furniture	Bio-based materials - Steelcase offers select textile and surface material options that may contribute to this credit.
	extraction practices	Medical furniture & furnishings		Wood products - Steelcase offers FSC [™] certified wood as an option on select products, which contributes to this option.
		Option 3: Multi-attribute assessment		Materials Reuse - If chosen for reuse, this product can contribute.
				Recycled content - (0.0%) post-consumer + ½ pre-consumer (18%) = 9%.
		Option 1: Material Ingredient Reporting	Purchasing -	
Building product disclosure and optimization - material ingredients Reporting	Material Ingredient	Furniture and medical furnishings	facility maintenance and renovation	Bivi has achieved ANSI/BIFMA e3-2014 credit 7.5.1.3 at 90% greater which contributes to this credit.
	Option 1: Minimal chemical content	Option 2: Furniture		
Construction & Demolition Waste Planning & Management	Required	Required	N/A	Steelcase uses several innovative packaging initiatives to minimize our waste impact (see transport section). These efforts may help to contribute, in part, towards achieving this prerequisite or credit.

*For Potential Contribution: These are the probable contributions; exact contributions will be dependent on the LEED rating system and the specific product.

CREDITS	RATING SYSTEM		М	POTENTIAL CONTRIBUTION*	
	ID+C	BD+C	O+M		
Indoor Enviromental Quality					
		Required			
Low emitting materials	Option 1: Product Category Calculations or	Option 1: Product Category Calculations or Option 2: Budget Calculation Method	Purchasing - facility maintenance and renovation	Bivi is SCS Indoor Advantage™ Gold certified for indoor air quality in North America.	
Option 2: Budget Calculation Method	Budget Calculation	Furniture and medical furnishings	Option 2: Furniture		
		Option 2: testing and modeling of chemical content			
Quality views Credi		dit Credit	Daylight and quality views	Steelcase offers a range of products and application thought	
	Credit		Option 2: Quality views	starters, though several other factors play into achieving this credit, beyond the scope of furniture.	

Other Potential LEED V4 Contributions

Pilot Credits: The following credits are potential contribution areas for Steelcase products and applications				
Environmentally preferable finishes and furnishings	MR Pilot	MR Pilot	N/A	Bivi is level [®] 2 certified, which contributes to this pilot credit.
Social equity in the supply chain	N/A	MR Pilot	N/A	Bivi is level [®] 2 certified, which contributes to this pilot credit which demonstrates compliance to ANSI/BIFMA e3 Sustainability Standard – Social Responsibility sections 8.7.2.1 and 8.7.2.2

*For Potential Contribution: These are the probable contributions; exact contributions will be dependent on the LEED rating system and the specific product

Refer to www.usgbc.org for LEED Program details.

Steelcase sustainability related actions and results are communicated annually in the Corporate Sustainability Report. 💿



Visit myturnstone.com

f facebook.com/turnstonefurniture

y twitter.com/myturnstone



youtube.com/turnstonefurniture

11/2016 © 2014 Steelcase Inc. All rights reserved. All specifications subject to change without notice. Trademarks used herein are the property of Steelcase Inc. or of their respective owners.