

# Loop


Design by Lievore Altherr Molina, 2009

Art. 2802 Art. 2803

Upholstered modular components. All layouts are to be completed with a component fitted with armrest at each end (see layout examples). It is possible to create layouts fitted with corner components (90° or 135°). Upholstery in fabric, customer's material, leather or faux leather. Fully removable cover version available upon request without surcharge. Please contact us for customized versions.



## Frame Base



S03

V39  
matt

## Shell



Polypropylene

Polypropylene

## Carded In



## Graded In

**kvadrat**

**camira**



DESIGN  
TEX



**Gabriel**



**svensson**

**maharam**

**Serge Ferrari**

arper

info@arper.com


www.arper.com

# Loop


Design by Lievore Altherr Molina, 2009

---

Art. 2802



Art. 2803



arper

www.arper.com

info@arper.com

# Loop

## Design by Lievore Altherr Molina, 2009

---

### Accessories:

USB Art. 6001

Aluminum feet

---

### SHIPMENT DETAILS

#### Art.2802

1 pz = 1  - kg 44/ m³ 0,94  
1 pz = 1  - kg 44/ m³ 0,94

---

### TECHNICAL SPECIFICATIONS

#### Art.2802

COL requirement m² 8,86  
H 140 cm. COM Meterage ml 4.16

#### Art.2803

COL requirement m² 8,86  
H 140 cm. COM Meterage ml 4.16

---

### RESISTANCE TEST

- EN 1728:2000 - EN 15373:2007 6.7

---

### FIRE RETARDANT TEST

BS5852 i.s. 5 Cava 3 Clara Divina MD Divina Melange 2 Divina 3 Field Hallingdal 65 Pro 3 Remix 2 Steelcut Trio 2 Steelcut Trio 3 Tonus 4 Tempo • Classe 1IM Cava 3 Field Steelcut 2 Steelcut Trio 2 Steelcut Trio 3 Tempo Faux leather Valencia • BS5852 Sch. 4 Part 1 Cava 3 Clara Divina MD Divina Melange 2 Divina 3 Field Hallingdal 65 Remix 2 Scuba Steelcut Trio 2 Steelcut Trio 3 Tonus 4 • BS5852 Sch. 5 Part 1 Cava 3 Clara Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Hallingdal 65 Soft leather Remix 2 Savanna Steelcut 2 Steelcut Trio 2 Steelcut Trio 3 Tonus 4 Faux leather Valencia • EN 1021 - 1 Cava 3 Clara Field Pro 3 Remix 2 Scuba Tempo • EN 1021 - 2 Cava 3 Clara Field Pro 3 Remix 2 Scuba Tempo

---

### ENVIRONMENTAL CERTIFICATIONS



arper

www.arper.com  
info@arper.com


# Loop

Design by Lievore Altherr Molina, 2009

Art. 2804 Art. 2805

Upholstered modular components. All layouts are to be completed with a component fitted with armrest at each end (see layout examples). It is possible to create layouts fitted with corner components (90° or 135°). Upholstery in fabric, customer's material, leather or faux leather. Fully removable cover version available upon request without surcharge. Please contact us for customized versions.

## Frame Base



S03

V39  
matt

## Shell



Polypropylene

Polypropylene

## Carded In



## Graded In

**kvadrat**

**camira**



DESIGN  
TEX



**Gabriel**



**svensson**

**maharam**

**Serge Ferrari**

arper

info@arper.com


www.arper.com

# Loop


Design by Lievore Altherr Molina, 2009

---

Art. 2804



Art. 2805



arper

www.arper.com

info@arper.com

# Loop

## Design by Lievore Altherr Molina, 2009

### Accessories:

USB Art. 6001

Aluminum feet

### SHIPMENT DETAILS

#### Art.2804

1 pz = 1  - kg 54/ m³ 1,18  
1 pz = 1  - kg 54/ m³ 1,18

### TECHNICAL SPECIFICATIONS

#### Art.2804

COL requirement m² 10.4  
H 140 cm. COM Meterage ml 4.84

#### Art.2805

COL requirement m² 10.4  
H 140 cm. COM Meterage ml 4.84

### RESISTANCE TEST

- EN 1728:2000 - EN 15373:2007 6.10
- EN 1728:2000 - EN 15373:2007 6.16
- EN 1728:2000 - EN 15373:2007 6.2.1
- EN 1728:2000 - EN 15373:2007 6.5
- EN 1728:2000 - EN 15373:2007 6.7
- EN 1022:05
- EN 1728:2000 - EN 15373:2007 6.15
- EN 1728:2000 - EN 15373:2007 6.17
- EN 1728:2000 - EN 15373:2007 6.2.2
- EN 1728:2000 - EN 15373:2007 6.6
- EN 1728:2000 - EN 15373:2007 6.6
- EN 1728:2000 - EN 15373:2007 A.2

### FIRE RETARDANT TEST

BS5852 i.s. 5 Cava 3 Clara Divina MD Divina Melange 2 Divina 3 Field Hallingdal 65 Pro 3 Remix 2 Steelcut Trio 2 Steelcut Trio 3 Tonus 4 Tempo • Classe 1IM Cava 3 Field Steelcut 2 Steelcut Trio 2 Steelcut Trio 3 Tempo Faux leather Valencia • BS5852 Sch. 4 Part 1 Cava 3 Clara Divina MD Divina Melange 2 Divina 3 Field Hallingdal 65 Remix 2 Scuba Steelcut Trio 2 Steelcut Trio 3 Tonus 4 • BS5852 Sch. 5 Part 1 Cava 3 Clara Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Hallingdal 65 Soft leather Remix 2 Savanna Steelcut 2 Steelcut Trio 2 Steelcut Trio 3 Tonus 4 Faux leather Valencia • EN 1021 - 1 Cava 3 Clara Field Pro 3 Remix 2 Scuba Tempo • EN 1021 - 2 Cava 3 Clara Field Pro 3 Remix 2 Scuba Tempo

### ENVIRONMENTAL CERTIFICATIONS



arper

info@arper.com

www.arper.com


# Loop

Design by Lievore Altherr Molina, 2009

Art. 2806 Art. 2807

Upholstered modular components. All layouts are to be completed with a component fitted with armrest at each end (see layout examples). It is possible to create layouts fitted with corner components (90° or 135°). Upholstery in fabric, customer's material, leather or faux leather. Fully removable cover version available upon request without surcharge. Please contact us for customized versions.

## Frame Base



S03

V39  
matt

## Shell



Polypropylene

Polypropylene

## Carded In



## Graded In

**kvadrat**

**camira**



DESIGN  
TEX



**Gabriel**



**svensson**

**maharam**

**Serge Ferrari**

arper

info@arper.com


www.arper.com

# Loop


Design by Lievore Altherr Molina, 2009

---

Art. 2806



Art. 2807



arper

www.arper.com

info@arper.com



# Loop

## Design by Lievore Altherr Molina, 2009

---

### Accessories:

USB Art. 6001

Aluminum feet

---

### SHIPMENT DETAILS

#### Art.2806

1 pz = 1  - kg 42,5/ m<sup>2</sup> 0,76  
1 pz = 1  - kg 64/ m<sup>2</sup> 1,1

---

### TECHNICAL SPECIFICATIONS

#### Art.2806

COL requirement m<sup>2</sup> 5.42  
H 140 cm. COM Meterage ml 3.54

#### Art.2807

COL requirement m<sup>2</sup> 8.56  
H 140 cm. COM Meterage ml 5.01

---

### RESISTANCE TEST

---

### FIRE RETARDANT TEST

BS5852 i.s. 5 Cava 3 Clara Divina MD Divina Melange 2 Divina 3 Field Hallingdal 65 Pro 3 Remix 2 Steelcut Trio 2 Steelcut Trio 3 Tonus 4 Tempo • Classe 1IM Cava 3 Field Steelcut 2 Steelcut Trio 2 Steelcut Trio 3 Tempo Faux leather Valencia • BS5852 Sch. 4 Part 1 Cava 3 Clara Divina MD Divina Melange 2 Divina 3 Field Hallingdal 65 Remix 2 Scuba Steelcut Trio 2 Steelcut Trio 3 Tonus 4 • BS5852 Sch. 5 Part 1 Cava 3 Clara Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Hallingdal 65 Soft leather Remix 2 Savanna Steelcut 2 Steelcut Trio 2 Steelcut Trio 3 Tonus 4 Faux leather Valencia • EN 1021 - 1 Cava 3 Clara Field Pro 3 Remix 2 Scuba Tempo • EN 1021 - 2 Cava 3 Clara Field Pro 3 Remix 2 Scuba Tempo

---

### ENVIRONMENTAL CERTIFICATIONS



arper

info@arper.com

www.arper.com


# Loop

Design by Lievore Altherr Molina, 2009

Art. 2808 Art. 2809

Upholstered modular components. All layouts are to be completed with a component fitted with armrest at each end (see layout examples). It is possible to create layouts fitted with corner components (90° or 135°). Upholstery in fabric, customer's material, leather or faux leather. Fully removable cover version available upon request without surcharge. Please contact us for customized versions.

## Frame Base



S03

V39  
matt

## Shell



Polypropylene

Polypropylene

## Carded In



## Graded In

**kvadrat**

**camira**



DESIGN  
TEX



**Gabriel**



**svensson**

**maharam**


**Serge Ferrari**

# Loop


Design by Lievore Altherr Molina, 2009

---

Art. 2808



Art. 2809



arper

www.arper.com

info@arper.com

# Loop

## Design by Lievore Altherr Molina, 2009

---

### Accessories:

USB Art. 6001

Aluminum feet

---

### SHIPMENT DETAILS

#### Art.2808

1 pz = 1  - kg 48/ m<sup>3</sup> 1,11  
1 pz = 1  - kg 42/ m<sup>3</sup> 0,85

---

### TECHNICAL SPECIFICATIONS

#### Art.2808

COL requirement m<sup>2</sup> 7.32  
H 140 cm. COM Meterage ml 3.96

#### Art.2809

COL requirement m<sup>2</sup> 6.36  
H 140 cm. COM Meterage ml 3.81

---

### RESISTANCE TEST

- EN 1728:2012 - EN 16139:2013 6.17
- EN 1728:2012 - EN 16139:2013 6.4
- EN 1728:2012 - EN 16139:2013 6.18
- EN 1728:2012 - EN 16139:2013 6.5

---

### FIRE RETARDANT TEST

BS5852 i.s. 5 Cava 3 Clara Divina MD Divina Melange 2 Divina 3 Field Hallingdal 65 Pro 3 Remix 2 Steelcut Trio 2 Steelcut Trio 3 Tonus 4 Tempo • Classe 11M Cava 3 Field Steelcut 2 Steelcut Trio 2 Steelcut Trio 3 Tempo Faux leather Valencia • BS5852 Sch. 4 Part 1 Cava 3 Clara Divina MD Divina Melange 2 Divina 3 Field Hallingdal 65 Remix 2 Scuba Steelcut Trio 2 Steelcut Trio 3 Tonus 4 • BS5852 Sch. 5 Part 1 Cava 3 Clara Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Hallingdal 65 Soft leather Remix 2 Savanna Steelcut 2 Steelcut Trio 2 Steelcut Trio 3 Tonus 4 Faux leather Valencia • EN 1021 - 1 Cava 3 Clara Field Pro 3 Remix 2 Scuba Tempo • EN 1021 - 2 Cava 3 Clara Field Pro 3 Remix 2 Scuba Tempo

---

### ENVIRONMENTAL CERTIFICATIONS



arper

www.arper.com  
info@arper.com


# Loop

Design by Lievore Altherr Molina, 2009

Art. 2820 Art. 2821

Upholstered modular components. All layouts are to be completed with a component fitted with armrest at each end (see layout examples). It is possible to create layouts fitted with corner components (90° or 135°). Upholstery in fabric, customer's material, leather or faux leather. Fully removable cover version available upon request without surcharge. Please contact us for customized versions.

## Frame Base



S03

V39  
matt

## Shell



Polypropylene

Polypropylene

## Carded In



## Graded In

**kvadrat**

**camira**



DESIGN  
TEX



**Gabriel**



**svensson**

**maharam**

**Serge Ferrari**

arper

info@arper.com


www.arper.com

# Loop


Design by Lievore Altherr Molina, 2009

---

Art. 2820



Art. 2821



arper

www.arper.com

info@arper.com

# Loop

## Design by Lievore Altherr Molina, 2009

---

Accessories:

USB Art. 6001

Aluminum feet

---

### SHIPMENT DETAILS

#### Art.2820

1 pz = 1  - kg 27/ m³ 0,85  
1 pz = 1  - kg 27/ m³ 0,85

---

### TECHNICAL SPECIFICATIONS

#### Art.2820

COL requirement m² 6.72  
H 140 cm. COM Meterage ml 2.81

#### Art.2821

COL requirement m² 5.15  
H 140 cm. COM Meterage ml 2.68

---

### RESISTANCE TEST

---

### FIRE RETARDANT TEST

BS5852 i.s. 5 Cava 3 Clara Divina MD Divina Melange 2 Divina 3 Field Hallingdal 65 Pro 3 Remix 2 Steelcut Trio 2 Steelcut Trio 3 Tonus 4 Tempo • Classe 1IM Cava 3 Field Steelcut 2 Steelcut Trio 2 Steelcut Trio 3 Tempo Faux leather Valencia • BS5852 Sch. 4 Part 1 Cava 3 Clara Divina MD Divina Melange 2 Divina 3 Field Hallingdal 65 Remix 2 Scuba Steelcut Trio 2 Steelcut Trio 3 Tonus 4 • BS5852 Sch. 5 Part 1 Cava 3 Clara Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Hallingdal 65 Soft leather Remix 2 Savanna Steelcut 2 Steelcut Trio 2 Steelcut Trio 3 Tonus 4 Faux leather Valencia • EN 1021 - 1 Cava 3 Clara Field Pro 3 Remix 2 Scuba Tempo • EN 1021 - 2 Cava 3 Clara Field Pro 3 Remix 2 Scuba Tempo

---

### ENVIRONMENTAL CERTIFICATIONS



arper

www.arper.com  
info@arper.com


# Loop

Design by Lievore Altherr Molina, 2009

Art. 2822 Art. 2823

Upholstered modular components. All layouts are to be completed with a component fitted with armrest at each end (see layout examples). It is possible to create layouts fitted with corner components (90° or 135°). Upholstery in fabric, customer's material, leather or faux leather. Fully removable cover version available upon request without surcharge. Please contact us for customized versions.

## Frame Base



S03

V39  
matt

## Shell



Polypropylene

Polypropylene

## Carded In



## Graded In

**kvadrat**

**camira**



DESIGN  
TEX



**Gabriel**



**svensson**

**maharam**

**Serge Ferrari**

arper

info@arper.com

www.arper.com




# Loop


Design by Lievore Altherr Molina, 2009

---

Art. 2822



Art. 2823



arper

www.arper.com

info@arper.com

# Loop

## Design by Lievore Altherr Molina, 2009

---

### Accessories:

USB Art. 6001

Aluminum feet

---

### SHIPMENT DETAILS

#### Art.2822

1 pz = 1  - kg 42/ m³ 0,85  
1 pz = 1  - kg 30/ m³ 0,85

---

### TECHNICAL SPECIFICATIONS

#### Art.2822

COL requirement m² 5,82  
H 140 cm. COM Meterage ml 2.88

#### Art.2823

COL requirement m² 5,16  
H 140 cm. COM Meterage ml 3.26

---

### RESISTANCE TEST

---

### FIRE RETARDANT TEST

BS5852 i.s. 5 Cava 3 Clara Divina MD Divina Melange 2 Divina 3 Field Hallingdal 65 Pro 3 Remix 2 Steelcut Trio 2 Steelcut Trio 3 Tonus 4 Tempo • Classe 1IM Cava 3 Field Steelcut 2 Steelcut Trio 2 Steelcut Trio 3 Tempo Faux leather Valencia • BS5852 Sch. 4 Part 1 Cava 3 Clara Divina MD Divina Melange 2 Divina 3 Field Hallingdal 65 Remix 2 Scuba Steelcut Trio 2 Steelcut Trio 3 Tonus 4 • BS5852 Sch. 5 Part 1 Cava 3 Clara Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Hallingdal 65 Soft leather Remix 2 Savanna Steelcut 2 Steelcut Trio 2 Steelcut Trio 3 Tonus 4 Faux leather Valencia • EN 1021 - 1 Cava 3 Clara Field Pro 3 Remix 2 Scuba Tempo • EN 1021 - 2 Cava 3 Clara Field Pro 3 Remix 2 Scuba Tempo

---

### ENVIRONMENTAL CERTIFICATIONS



arper

www.arper.com  
info@arper.com