

02

Teknion® offers a series of innovative architectural walls systems designed for an office culture defined by creativity and transparency.

Focus[™] is a demountable wall system that delivers a comprehensive range of acoustic performance with a clean, European aesthetic. Focus provides a variety of glass and solid fascia configurations combined with matching wall and door pairings for visual and acoustic continuity. Precision-cut frame and trim components create a seamless appearance with an architectural presence. Focus achieves a fully tailored approach to architectural interiors space planning and environments.

In design and materials, Focus supports LEED® initiatives and occupant health, balancing the need for enclosure and acoustic privacy with a sense of openness and full access to natural light.









Focus solid fascias address the need for visual and acoustic privacy. An attractive selection of laminate, Flintwood and veneer finishes expands design versatility, while accommodating electrics and technology.

As an alternative, solid fascias can be

integrated with a range of monolithic and segmented glass fascias. Integration with fabric fascias from Teknion's Altos® walls system introduces an added layer of texture, material and acoustic performance.



Focus is designed to connect with other wall programs within the Teknion Architectural Interiors portfolio, such as Altos and Tek Vue, to create comprehensive work spaces tailored

to specific user needs. Continuity is further enhanced by an integrated finish palette, allowing all systems to appear as a unified solution across the office floorplan.



- Single-centered and single-offsetDouble glazed
- Solid
- Clerestory

- 10 and 12mm seamless glass Tempered and Laminated
- Clear, Low Iron and Frosted
- Ceiling heights from 84" 120" in 1/16" increments
- Fascia widths 12"- 48" in 1/16" increments
- Ceiling adjustment range: + 5/16", 9/32"
- Floor adjustment range: + 7/16", 5/32"
- Wall Start adjustment range + 5/16", 9/32"
- Glass Fascia: up to 45 STC rating
- Solid Fascia: 44 sTC rating
- Door: up to 45 stc rating

doors program

Focus offers a comprehensive doors program designed to parallel the acoustic properties and visual privacy features found in the glass and solid fascia programs. All doors accept the same finishes offered on the frames to create visual continuity across the office landscape.

door styles

- Framed Glass Sliding Door
- Framed Glass Pivot Doors
- Frameless Glass Hinged Door
- Solid Hinged Door

door features

- Available in 1/16" increments to accommodate ceiling heights between 8 and 10 feet
- To minimize sound leakage, doors are available with an optional drop seal

door finishes

- Glass: tempered and/or laminated
- Solid: Laminate or Veneer
- Framing: Anodized or Painted
- Integrated Pulls: Anodized or Painted
- Levers: Satin











01 framed sliding door

- I" thick frame, 10mm glass insert
- Drop seal option
- Standard soft close
- Center-mounted door leaf with infinite rail
- Can be planned with singleoffset or double glass fascias
- Ideal for scaled-down spaces and environments

oz framed single glazed pivot door

- 1-3/4" thick frame, 12mm glass
- Drop seal & closer options
- Ideal pairing with single centered or single-offset fascias
- 03 framed double glazed pivot door
- 4" thick frame, two 8mm glass inserts
- Drop seal & closer options
- single

 Ideal pairing with double glass fascias

04 frameless glass hinge door

- 10mm or 12mm glass
- Drop seal option
- Anodized aluminum hinges
- Ideal pairing with singlecentered or single-offset fascias

05 solid hinged door

- 1-3/4" thick solid door
- Drop seal & soft close options
- Adds visual privacy to glass storefront



01 glass-to-glass connection

plastic or aluminum connectors.

oz glass-to-solid connection

Precision-fitted glass-to-glass joints can be connected with an adhesive tape, clear with unobtrusive corner and inline Focus joins glass and solid fascia walls connections.

оз wall and door pairing

Framed Pivot Doors can be specified with single or double glass to match the acoustic configuration of Focus walls. Optional drop seals provide added acoustic privacy.

04 focus to altos transition

Inline transitions to Altos demising walls permit enhanced functionality as needed.


os hardware

Advanced lock hardware on doors complies with specific building code requirements. To provide a consistent aesthetic, hardware patches match any Focus frame finish.

06 clerestory

Clerestory walls with minimal frames allow light to be transmitted across adjacent offices. Focus offers single and double glazed clerestory options to match the acoustic performance of storefront walls.













teknion

www.teknion.com

IN CANADA
II50 Flint Road
Toronto, Ontario
M3J 2J5 Canada
Tel 866.teknion
866.835.6466

IN THE USA
350 Fellowship Road
Mt Laurel, New Jersey
08054 USA
Tel 877.teknion
877.835.6466

OTHER OFFICES LOCATED IN
Europe, South and Central America,
Middle East, Asia and Russia
For regional contact information
go to www.teknion.com

CAN/US/INT 06-19
©Teknion 2019
®, TM trade marks of Teknion
Corporation and/or its subsidiaries or
licensed to it. Patents may be pending.

Brochure Design: Vanderbyl Design Printed in Canada. BR-100-0103EN

